

Boone ~~Truly~~ Ranch, Storage Shed
11119 NE 185th Street
Bothell
King County
Washington

HABS No. WA-218-F

HABS
WASH
17-BOTH,
IF-

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

HISTORIC AMERICAN BUILDINGS SURVEY
Columbia Cascade Support Office
National Park Service
909 First Avenue
Seattle, Washington 98104-1060

HISTORIC AMERICAN BUILDING^S SURVEY

THE BOONE/TRULY RANCH
STORAGE SHED

HABS No. WA-218-F

HABS
WASH
17-BOTH
1F-

Location: 11119 NE 185th Street
Bothell, King County, Washington 98011

U.S.G.S. Bothell, Wash. 15' Quadrangle,
Universal Transverse Mercator Coordinates: 10.560697.5289710

Present Owner: Multiple Owners - The University of Washington and Richard Truly

Present Occupant: Richard Truly

Present Use: Vacant

Significance:

The Boone/Truly Ranch, located near the city of Bothell, Washington, approximately 31 miles north of Seattle, is associated with early settlement in the Sammamish Slough area, and with the general pattern of economic development in King County, Washington. The ranch property has been owned since 1916 by the Benjamin Boone and Richard Truly families. The buildings, which were constructed in 1924, embody the physical features that characterize a family-operated cattle ranch.

Several generations of the Boone/Truly family have resided on the property since the early 1920s, operating the ranch until the mid-1980s. The Storage Shed is one of the multi-use utilitarian structures on the site.

- Significant Features:**
- Single-wall, wood frame construction
 - Shed roof, concrete block foundation painted horizontal wood siding and corrugated metal panel roofing

Date of Construction: 1924

Architect/Builder: Unknown

Architectural Description:

The Storage Shed is a square, single-story, framed building situated 100 yards south of the Main House, and directly south of the Machine Shop. All facades are clad in horizontal wood siding. The concrete block foundation, which elevates the shed from grade, suggests that the position of the shed may have been changed as needed, or that an original foundation was retrofitted later.

The west facade has one door opening extending from floor level to the roof-wall junction. The opening has no door, a plain head, plain side trim, and no embrasure. A narrow fascia board attached to purlin ends forms shallow open eaves above the door opening. The flat shed roof slopes away from the west facade and is sheathed in corrugated metal.

The north, east, and south facades are plain and have no door or window openings.

Figure 1. WA-218-E, the Machine Shop; and WA-218-F, the Storage Shed, Plan. Source: Boyle • Wagoner Architects, January 1997.

